

Transaction Receipt

Receipt created on: 2021-07-24 10:01:06 utc

Summary	
Transaction	0557389f845334ff9fbbb843a74b885c2a158c87204ed8dcdaaa0b4cec9d0d74
Block	0000000000000000000003ae9550aac069894869687d631070076dae1c0c929a18c6 (#690725)
Timestamp	2021-06-08 07:04:32 utc
Confirmations	6555
Fee Paid	0.00002596 BSV

1 Input , 102 Outputs	
Input #1	1398Ku4ALk45o8spM3Mn3ymKX9W2X6pPP7 0.00111176 BSV via cf963c91df4b4469535c...[101]
Total Input: 0.00111176 BSV	
Output #1	OP_RETURN: 0 BSV <code>0T0E0000X00100C00 R[E0i0000Zlv00000*00`00])at@;h0 \)ahEap0ac0bws0@0\ (0bwd0n</code>
Output #2	OP_RETURN: 0 BSV <code>0T0E0000X00100C00 R[E00i0{000&0S\$0} 00`00L0at0ah07ap00ac0bws0bwd0P</code>
Output #3	OP_RETURN: 0 BSV <code>0T0E0000X00100C00 R[F, _\p0000 00;0'000`00T)at@(p00 =qahWap00ac0bws0?0z0G00{bwd00</code>
Output #4	OP_RETURN: 0 BSV <code>0T0E0000X00100C00 R[F:0000qX<007A-< 000`000+0at0@0ffffah0]ap00ac0Zbws0?0000Q0bwd00:</code>
Output #5	OP_RETURN: 0 BSV <code>0T0E0000X00100C00 R[FD00A~00000xc00>000`00H"0at0@>00 =p0ah0Bap00ac0(bws0bwd0d</code>
Output #6	OP_RETURN: 0 BSV <code>0T0E0000X00100C00 R[F\h000D0k0s005*0b0000`00B#0at ah0Gap00ac0Zbws0@z0G00{bwd00,</code>
Output #7	OP_RETURN: 0 BSV <code>0T0E0000X00100C00 R[F000P00#00x0K0"0`00N)at0@0u0\ (0ah0]ap00ac0dbws0?0000Q0bwd</code>

Output OP_RETURN: 0 BSV
#8 [0]T[0]E[0000]X[00100]C[00] | R[F0]L[X_0]-
[0][0][0][0][0][0][0][0]P[0]`[0][0]^*[0]at[0]@8z[0]G[0]{ah[0]Pap[0][0]ac[0]dbws[0]?[0]p[0]
=qbwd[0]'

Output OP_RETURN: 0 BSV
#9 [0]T[0]E[0000]X[00100]C[00] | R[F000]6[00], }[0]
[0]1j[0][0][0][0]P[0][0]`[0][0]G#[0]at[0][ah[0]Sap[0][0]ac[0]Kbws[0]@[0][0][0]Q[0]bwd[0][0]

Output OP_RETURN: 0 BSV
#10 [0]T[0]E[0000]X[00100]C[00] | R[F0n0000]ER[0]R[0]t5[0][0]2[0]`[0][0]K)[0]at[0]@0
=p[0][0] ah[0]Pap[0][0]ac[0]bws[0]@[0][0][0]Q[0]bwd[0][0]

Output OP_RETURN: 0 BSV
#11 [0]T[0]E[0000]X[00100]C[00] | R[F0]E[0]S[wM}
[0][0][0][0][0][0][0][0]G([0]at[0]@B[0]Q[0][0]ah[0]ap[0][0]ac[0]bws[0]@[0][0][0][0]
[0][0]bwd[0][0]

Output OP_RETURN: 0 BSV
#12 [0]T[0]E[0000]X[00100]C[00] | R[F0]^@000:0:0[0] | AA#N[0]^00?*0at[0]@+ =p00
ah[0]6ap[0][0]ac[0]Zbws[0]@%000000bwd[0]P

Output OP_RETURN: 0 BSV
#13 [0]T[0]E[0000]X[00100]C[00] | R[F0][0][0]y[0]0Z[000]x*00?[0]`00T*0at[0]@*0p00
=ah[0]Xap[0][0]ac[0](bws[0]@z0G0[0]{bwd[0]0

Output OP_RETURN: 0 BSV
#14 [0]T[0]E[0000]X[00100]C[00] | R[F0][0][0]N[0]w[0]D[0]F[0][0]#@[0][0]`[0][0]b*[0]at[0]@/
[0]\"[0][0]ah[0], ap[0][0]ac[0]Kbws[0]@[0][0]\"[0][0]bwd[0][0]

Output OP_RETURN: 0 BSV
#15 [0]T[0]E[0000]X[00100]C[00] | R[F0][0]3[000]*0E[000]a[0]M*A[0]`00V"[0]at[0]ah[0]Wap[0][0]
ac[0]Qbws[0]@[0][0]\"[0][0]bwd[0]2

Output OP_RETURN: 0 BSV
#16 [0]T[0]E[0000]X[00100]C[00] | R[G[0]=yN00]P[0][0]خ[0]h[0][0]a[0][0]`[0][0]>)[0]at[0]@.[0][0]Q
[0][0]ah[0]>ap[0][0]ac[0]bws[0]@[0][0][0][0][0][0]bwd[0][0]

Output OP_RETURN: 0 BSV
#17 [0]T[0]E[0000]X[00100]C[00] | R[G.0m000][0]0!V0[0][0]000>[0]`00`)0at[0]@;[0]z0G0[0]
ah[0]Jap[0][0]ac[0]bws[0]@000000bwd[0]0

Output OP_RETURN: 0 BSV
#18 [0]T[0]E[0000]X[00100]C[00] | R[G]X[0]
Z[0][0]0[0][0]R[0]5[0][0][0]t[0]`[0][0]K#[0]at[0][ah[0]Fap[0][0]ac[0](bws[0]@[0][0]Q[0]
[0]bwd[0][0]

Output OP_RETURN: 0 BSV
#19 [0]T[0]E[0000]X[00100]C[00] | R[G]k+00*0000]WJ20[0][0]-
[0][0]`[0][0]a)[0]at[0]@43[0]z[0]Hah[0]*ap[0][0]ac[0]bws[0]@[0][0][0][0][0][0]bwd[0][0]

Output OP_RETURN: 0 BSV

Output OP_RETURN: 0 BSV
#33 [hex] | R[hex]Ho~'[hex]L[hex]z[hex]TzR4V[hex]'[hex])at[hex]@6[hex]([hex]\a
h[hex]Iap[hex][hex]ac[hex]bws[hex]?[hex] =p[hex]bwd[hex]

Output OP_RETURN: 0 BSV
#34 [hex] | R[hex]HyE[hex]| [hex]q[hex]Z([hex]*V[hex]#[hex]"[hex]'[hex]'[hex])at[hex]@:[hex]
=qah[hex]Eap[hex][hex]ac[hex]bws[hex]@[hex]\([hex]bwd[hex]

Output OP_RETURN: 0 BSV
#35 [hex] | R[hex]H[hex]VM[hex]
[hex]y[hex]W[hex]'[hex]E+[hex]at[hex]@8+[hex]'[hex]Q[hex]ah[hex]Wap[hex][hex]ac[hex]N[hex]bws[hex]?[hex]
([hex]bwd[hex]

Output OP_RETURN: 0 BSV
#36 [hex] | R[hex]H[hex]J`[hex]
[hex]<[hex]E[hex]2[hex]W[hex]'[hex]G[hex]at[hex]ah[hex]Nap[hex][hex]ac[hex]bws[hex]@[hex]bwd[hex]

Output OP_RETURN: 0 BSV
#37 [hex] | R[hex]H[hex]
>_[hex]صFY[hex]'[hex]E*[hex]at[hex]@0[hex]G[hex]z[hex]ah[hex]^ap[hex][hex]ac[hex]Z[hex]bws[hex]
[hex]bwd[hex]

Output OP_RETURN: 0 BSV
#38 [hex] | R[hex]H[hex]aF[hex]L[hex]'[hex]Y)at[hex]@2[hex]
\([hex]ah[hex]^ap[hex][hex]ac[hex]Z[hex]bws[hex]?[hex] =p[hex]bwd[hex]

Output OP_RETURN: 0 BSV
#39 [hex] | R[hex]H[hex]UU[hex]rX[hex]C~[hex]nV_[hex]'[hex]F%at[hex]A[hex]ah
[hex]5ap[hex][hex]ac[hex]bws[hex]@[hex] =p[hex]bwd[hex]

Output OP_RETURN: 0 BSV
#40 [hex] | R[hex]H[hex]ny[hex]L,-[hex]M[hex]
[hex]'[hex])at[hex]@:[hex]Q[hex]'[hex]ah[hex]Aap[hex][hex]ac[hex]bws[hex]?[hex] =p[hex]bwd[hex]

Output OP_RETURN: 0 BSV
#41 [hex] | R[hex]H[hex]J[hex]h[hex]\[hex]kk[hex]4[hex]'[hex]I#[hex]at[hex]a
h[hex]>ap[hex][hex]ac[hex]bws[hex]@[hex]\([hex]bwd[hex]

Output OP_RETURN: 0 BSV
#42 [hex] | R[hex]H[hex]/\$t[hex]e[hex]G[hex].[hex]*[hex]'[hex]'[hex] [+at[hex]@6[hex]z[hex]H
ah[hex]_ap[hex][hex]ac[hex]dbws[hex]?[hex]=p[hex] =bwd[hex]

Output OP_RETURN: 0 BSV
#43 [hex] | R[hex]H[hex]z[hex]4[hex]H[hex]+[hex]N[hex]'[hex]G#[hex]at[hex]ah[hex]Iap[hex]
[hex]ac[hex](bws[hex]@[hex]bwd[hex]"

Output OP_RETURN: 0 BSV
#44 [hex] | R[hex]I[hex]V[hex]i[hex]
[hex]W[hex]'[hex]F)at[hex]@6}p[hex] =ah[hex]1ap[hex][hex]ac[hex]bws[hex]@[hex]\([hex]bwd[hex]

Output OP_RETURN: 0 BSV
#45

```
0T0E0000X00L00C00|R0I60000I0g00v0.0}
0`0P)0at0@=0=p00 ah06ap000ac0bws0?0p00 =qbw0a
```

Output OP_RETURN: 0 BSV

```
#46 0T0E0000X00L00C00|R0ITa000E"000cjv00u000`00I!0at00ah0
ap000acbws0@'000\0)bwd0
```

Output OP_RETURN: 0 BSV

```
#47 0T0E0000X00L00C00|R0I]000d0H00000=0GR00`00B!0at0@-0\
(00ah0Xap000acbws0bwd0F
```

Output OP_RETURN: 0 BSV

```
#48 0T0E0000X00L00C00|R0Ic!>z000e0000
`V0000000`000^*0at0@50z0G00ah0^ap000ac0Zbws0@00\
(00bwd000
```

Output OP_RETURN: 0 BSV

```
#49 0T0E0000X00L00C00|R0Ip4F000j_0F0000.Zz00`00S)0at0@-
k000Q00ah0Rap00ac0bws0@00\ (00bwd000
```

Output OP_RETURN: 0 BSV

```
#50 0T0E0000X00L00C00|R0I{00I00T3000}0~0000.0`00U*0at0@*0Q00a
h0^ap000acbws0@0Q000bwd006
```

Output OP_RETURN: 0 BSV

```
#51 0T0E0000X00L00C00|R0I00J00F>0000.0>/0
00j0`000>)0at0@=:00\ (0ah0Nap000ac0bws0@000z0G0bwd0F
```

Output OP_RETURN: 0 BSV

```
#52 0T0E0000X00L00C00|R0I00[10t0070 N0h0000`00H*0at0@70p00
=ah0Zap000ac00)bws0@000Q0bwd000
```

Output OP_RETURN: 0 BSV

```
#53 0T0E0000X00L00C00|R0I0700h<000hs0?
05T00`000]*0at0@700z0G00ah0Xap000ac0Zbws0?
00000000bwd000
```

Output OP_RETURN: 0 BSV

```
#54 0T0E0000X00L00C00|R0I0s*0|D'0050%I0`V000`00H*0at0@"p00
=qah0Wap000ac0cbws0?00z0G00bwd000
```

Output OP_RETURN: 0 BSV

```
#55 0T0E0000X00L00C00|R0I00HI009000F*C003~V0`00W+0at0@+0\
(00ah0[ap000ac0dbws0@0000Q0bwd0000
```

Output OP_RETURN: 0 BSV

```
#56 0T0E0000X00L00C00|R0I00kJ00$2000000}( _0`000@!
0at0ah0Xap000acbws0@00Q000bwd000
```

Output OP_RETURN: 0 BSV

```
#57 0T0E0000X00L00C00|R0J#U{0'0w0.0V00q00B
060`000H"0at0ah0Xap000ac0bws0@00\ (00bwd0000
```

Output OP_RETURN: 0 BSV
#58 [hex] R[hex]40[hex]E[hex]l[hex]0006[hex]f[hex]000[hex]0[hex]`[hex]00U+[hex]at[hex]'[hex]00[hex]`[hex]a
h[hex]^ap[hex][hex]ac[hex]Zbws[hex]?[hex]000[hex] =p[hex]bwd[hex][hex]

Output OP_RETURN: 0 BSV
#59 [hex] R[hex]G[hex]KII![hex]N[hex]H[hex] ^[hex][hex][hex]~[hex]~[hex]`[hex][hex]H+[hex]at[hex];[hex][hex]
([hex][hex]ah[hex]!ap[hex][hex]ac[hex]2bws[hex]?[hex][hex]([hex][hex])bwd[hex][hex](

Output OP_RETURN: 0 BSV
#60 [hex] R[hex]Jf[hex][hex]E[hex]n[hex][hex]"[hex]_ [hex][hex][hex][hex][hex]`[hex][hex]
[hex]F) [hex]at[hex]:[hex][hex]Q[hex]ah[hex]6ap[hex][hex]ac[hex]bws[hex]@[hex]Q[hex][hex]bwd[hex][hex]

Output OP_RETURN: 0 BSV
#61 [hex] R[hex]Jy[hex]ä[hex]([hex][hex];[hex][hex]N[hex][hex][hex]M[hex][hex]`[hex][hex]F
*[hex]at[hex]@,333333ah[hex]>ap[hex][hex]ac[hex]dbws[hex]@[hex]z[hex]G[hex][hex]{bwd[hex][hex]

Output OP_RETURN: 0 BSV
#62 [hex] R[hex]J{[hex]Ge[hex]Gdx[hex]l[hex]00q/[hex]T[hex][hex]`[hex]00M*[hex]at[hex]@=[hex]
=p[hex][hex]ah[hex]Fap[hex][hex]ac[hex]dbws[hex]?[hex][hex]([hex][hex]bwd[hex][hex]

Output OP_RETURN: 0 BSV
#63 [hex] R[hex]J[hex]@xb[hex]0%[hex]00w"d[hex][hex]
[hex][hex][hex]`[hex][hex]*[hex]at[hex]:[hex][hex][hex]Rah[hex]Xap[hex][hex]ac[hex]Kbws[hex]@[hex][hex]([hex][hex]bwd[hex][hex]F

Output OP_RETURN: 0 BSV
#64 [hex] R[hex]J[hex][hex][hex]H[hex][hex][hex],^[hex][hex][hex]`[hex][hex]S)
[hex]at[hex]"[hex]G[hex][hex]z[hex]ah[hex]Xap[hex][hex]ac[hex]bws[hex]?[hex][hex]Q[hex]bwd[hex][hex]

Output OP_RETURN: 0 BSV
#65 [hex] R[hex]J[hex]00`*[hex]0sG[hex]V[hex]0o[hex]35[hex]_: [hex][hex]`[hex]00[hex]*[hex]at[hex]@9[hex]
([hex][hex]ah[hex]dap[hex][hex]ac[hex]Zbws[hex]?[hex][hex]([hex][hex]bwd[hex][hex]

Output OP_RETURN: 0 BSV
#66 [hex] R[hex]J[hex]00A[hex]0zi[hex]00000[hex]0[hex]s[hex]00[hex]`[hex]00[hex]*[hex]at[hex]@:[hex]00Q[hex]ah
[hex]Jap[hex][hex]ac[hex](bws[hex]@[hex]00[hex]Q[hex]bwd[hex]x

Output OP_RETURN: 0 BSV
#67 [hex] R[hex]J[hex]0v[hex]0M[hex]0n[hex]0V[hex]T[hex]0+[hex]000\$[hex]0[hex]0[hex]`[hex]00F)[hex]at[hex]@)L[hex]00000
ah[hex]Cap[hex][hex]ac[hex]Kbws[hex]@[hex]z[hex]0G[hex][hex]{bwd[hex]

Output OP_RETURN: 0 BSV
#68 [hex] R[hex]K[hex][hex][hex]000s{[hex][hex]d8[hex][hex][hex]`[hex][hex]}[hex]at[hex]@?
Tz[hex]G[hex][hex]ah[hex]>ap[hex][hex]ac[hex]bws[hex]@[hex]z[hex]G[hex][hex]{bwd[hex]n

Output OP_RETURN: 0 BSV
#69 [hex] R[hex]K[hex]*[hex][hex]NR[hex][hex][hex]J[hex]P[hex]*[hex][hex]<[hex][hex]`[hex][hex]K+
[hex]at[hex]@[hex][hex]Q[hex]ah[hex]aap[hex][hex]ac[hex]Sbws[hex]?[hex][hex][hex][hex]bwd[hex][hex]M

Output OP_RETURN: 0 BSV
#70 [hex] R[hex]K[hex]0^[hex][hex]1[hex]000X[hex]00[hex]00#0}4[hex]0[hex]0P)[hex]at[hex]@6[hex]fffff
ah[hex]9ap[hex][hex]ac[hex]bws[hex]@[hex] =p[hex]00[hex] bwd[hex]0

Output OP_RETURN: 0 BSV

#71 [hex] R[K10]BB[hex]3-0u0-
p`00P(0at0@>.z0G0ah[Fap][ac]bws0@z0G00{bwd

Output OP_RETURN: 0 BSV

#72 [hex] R[K

Output OP_RETURN: 0 BSV

#73 [hex] R[KC30]i00[hex](u[d0][hex]`_`at@7[hex]a
h[Nap][ac]bws0@0Q00bwd0

Output OP_RETURN: 0 BSV

#74 [hex] R[KW00]-t*[hex]r01[hex]900[hex]V`00>*0at0@=J=p00
ah[*]ap[ac]bws0@(\bwd00

Output OP_RETURN: 0 BSV

#75 [hex] R[KY0][hex]L[V][hex]r[hex]E\$[hex]&[hex]`[hex][%at@e9
([hex]\ah[ap][ac]bwsAbwd[x

Output OP_RETURN: 0 BSV

#76 [hex] R[K0][hex]0000:
[hex]tR[VA]#at[ah]1ap[ac]Kbws@zG00{bwd

Output OP_RETURN: 0 BSV

#77 [hex] R[K0][hex]E0K?
[hex][hex]V'9wc[hex]L*at@<8Q[hex]ah[Aap][ac]Lbws?
[hex]Q[hex]bwd

Output OP_RETURN: 0 BSV

#78 [hex] R[K00c][hex]00090!.GU.[hex]00b\$0at0A0ah[ap][hex]a
c[bws0@000 =p0bwd0

Output OP_RETURN: 0 BSV

#79 [hex] R[K00][hex]00e[hex]"04000e[hex]00`00R"0at[ah]Rap[hex]
[hex]ac[Kbws] =p[hex]bwd[Z

Output OP_RETURN: 0 BSV

#80 [hex] R[K0LSU0o|t0@[hex]YT[hex]`[hex]b+[hex]at@*z
[hex]G[hex]{ah[ap][ac](bws@[\(bwd

Output OP_RETURN: 0 BSV

#81 [hex] R[K0p][hex]?000N0000rVj f/
[hex]^N+at@8[hex]G[hex]{ah[Uap][ac]dbws?P[hex] =qbwd

Output OP_RETURN: 0 BSV

#82 [hex] R[K00a][hex]000RJck[hex]`[hex]F)at@[\
([hex]\ah[Wap][ac]bws?Q[hex]Rbwd

Output OP_RETURN: 0 BSV

#83

0T0E0000X00100C00|R0L0A0000&s00n00%d0070`00_)0at0@:0\
(0ah0Eap00ac0bws0@z0G00{bwd0

Output OP_RETURN: 0 BSV

#84 0T0E0000X00100C00|R0L!|
0z0\0g0yFU000000`00P*0at0@5:0G00{ah0+ap00acbw
s0@0Q00bwd0h

Output OP_RETURN: 0 BSV

#85 0T0E0000X00100C00|R0L"0~h0p0,0(0n0000`00B)0at0@+L00000ah
0Sap000ac0bws0?0333333bwd00

Output OP_RETURN: 0 BSV

#86 0T0E0000X00100C00|R0L9%ha#00\00000
~00`00R#0at0ah0+ap00ac0bws0?0fffffbwd00

Output OP_RETURN: 0 BSV

#87 0T0E0000X00100C00|R0L00?b"0Hh05^0A0`00C)0at0@)0\
(0ah0Xap00acbws0@z0G00{bwd0d

Output OP_RETURN: 0 BSV

#88 0T0E0000X00100C00|R0L00t0Y|00^R0L00R#0`00b)0at0@80
=p00ah0ap00ac0bws0@00\ (0bwd00@

Output OP_RETURN: 0 BSV

#89 0T0E0000X00100C00|R0L0u]`0Ni_0I0Jj000,0`00R"0at0!ah
0(ap000ac0bws0@000000bwd00

Output OP_RETURN: 0 BSV

#90 0T0E0000X00100C00|R0L00S000000I}0000#v0`00` (0at0@00\
(0ah0ap00ac0bws0@00z0G0bwd00

Output OP_RETURN: 0 BSV

#91 0T0E0000X00100C00|R0L0000000Z 0
0009"0Z0`00N"0at0ah0Iap00acbws0?0000 =p0bwd00

Output OP_RETURN: 0 BSV

#92 0T0E0000X00100C00|R0L0(n00c0i] [0000w['/V0`00W*0at0@
Q00Rah0] ap00ac0bws0@0Q00bwd000

Output OP_RETURN: 0 BSV

#93 0T0E0000X00100C00|R0L00br0000X00h0-
000A0`00^&0at0A0ah0Xap00ac0Kbws0@00\ (0bwd00

Output OP_RETURN: 0 BSV

#94 0T0E0000X00100C00|R0L0?00*P
0~00000<0`00L*0at0@00Q0ah04ap00ac0bws0@00\
(0bwd00M

Output OP_RETURN: 0 BSV

#95


```
0T0E0000X00L00C00|R0LF0-02(<1
d000000`00C*at0@;00\0)ah0Nap00ac0(bws0@000
=p0bwd0P
```

Output OP_RETURN: 0 BSV

```
#96 0T0E0000X00L00C00|R0M30$B000000_0Z0"
(,0`000(0at0@2Tz0G0ah0Dap000acbws0?0000000bwd
```

Output OP_RETURN: 0 BSV

```
#97 0T0E0000X00L00C00|R0ML040*
0a0|L00000D0`00Q*at0@6#0 =p0ah0_ap00ac0Ibws0?
0000Q0bwd00
```

Output OP_RETURN: 0 BSV

```
#98 0T0E0000X00L00C00|R0Mq0&0GN0L00$0^0:*0h0`00I#0at0ah0Yap0
00ac0(bws0?000 =p0bwd00
```

Output OP_RETURN: 0 BSV

```
#99 0T0E0000X00L00C00|R0M0Z0Jy=?
N0y00<0E0J0`00G'0at0A0ah0aap00ac0;bws0?000 =p0bwd00Y
```

Output OP_RETURN: 0 BSV

```
#100 0T0E0000X00L00C00|R0M000.v0000000|002?k0`00?*0at0@/p00
=qah0
```

Output OP_RETURN: 0 BSV

```
#101 0u0100 0n000r0z00b0A0Nv0(0v
x00000%0\000000009^0000000000000x)7000L*z0
>000?0i|000n05>00L(00V00t0
```

Output [1Mx1CYUfwjfq1s21L31JQPvEMjtX44rXJi](#) 0.0010858 BSV
#102

Total Output: 0.0010858 BSV

Disclaimer: The information contained in this receipt is extracted from the transaction on the public Bitcoin SV blockchain and accurate to the best of our knowledge. WhatsOnChain.com will not be liable for any loss based on the information provided in this receipt.

